

What is claimed is:

1. An apparatus for pulling line through a raceway, the apparatus comprising:  
  
a plurality of linked mounts repositionable relative to one another; and  
  
at least one attachment member attached to an end of the plurality of linked mounts and adapted to releasably attach to an end of a fish tape.
2. The apparatus of claim 1, wherein the at least one attachment member releasably attaches to the plurality of linked mounts.
3. The apparatus of claim 1, wherein the at least one attachment member comprises two attachment members attached to the plurality of linked mounts.
4. The apparatus of claim 3, wherein the two attachment members attach to the plurality of linked mounts at opposite ends of the plurality of linked mounts.
5. The apparatus of claim 1, wherein the at least one attachment member comprises a hook having a loop attached to the end of the plurality of linked mounts.
6. The apparatus of claim 1, wherein the at least one attachment member comprises a threaded connector having threads positioned at an end of the threaded connector and a loop at an attachment end attached to the plurality of linked mounts.
7. The apparatus of claim 6, wherein the threaded connector has grips positioned about an outer surface of the threaded connector.
8. The apparatus of claim 7, wherein the grips are positioned longitudinally along the outer surface of the threaded connector.

9. The apparatus of claim 1, wherein at least one linked mount of the plurality of linked mounts has the line positioned therethrough and releasably secured thereto.

10. The apparatus of claim 9, wherein the line is releasably secured to the at least one linked mount with tape.

11. The apparatus of claim 1, wherein the plurality of linked mounts has an inner dimension sized to receive the line and an outer dimension sized to fit within the raceway.

12. The apparatus of claim 11, wherein the at least one attachment member is sized to fit within the raceway.

13. An apparatus for pulling line through a raceway, the apparatus comprising:

multiple mounting means for releasably securing the line to separate mounting means, the multiple mounting means repositionable relative to separate mounting means; and

attachment means for releasably attaching to an end of a fish tape and attached to an end of the multiple mounting means.

14. The apparatus of claim 13, wherein the multiple mounting means have an inner dimension sized to receive the line and an outer dimension sized to fit within the raceway, and wherein the attachment means is sized to fit within the raceway.

15. The apparatus of claim 13, wherein the attachment means comprises two attachment means attached at opposing ends of the apparatus.

16. The apparatus of claim 13, further comprising gripping means for grasping the attachment means, the gripping means positioned on outer edges of the attachment means.

17. The apparatus of claim 13, wherein the attachment means is releasably attached to the multiple mounting means.

18. A method of pulling line through a raceway, the method comprising:  
folding a line through a link of a chain;  
securing the line to itself;  
attaching an attachment member of the chain to an end of a fish tape;  
and  
pulling the fish tape through the raceway.

19. The method of claim 18, further comprising affixing multiple lines to separate links in the chain.

20. The method of claim 18, further comprising securing the line along a length of the line to other links in the chain.